

Contents

Abstract	i
Acknowledgements	ii
Contents	iii
1 Introduction	1-1
1.1 Space Debris	1-1
1.1.1 Debris sources and sinks	1-2
1.2 Debris Environment Characterisation and Modelling	1-4
1.3 Debris Particle Characteristics	1-5
1.3.1 Debris size, mass	1-5
1.3.2 Debris shape	1-5
1.3.3 Debris Albedo	1-6
1.4 Structure of Thesis	1-8
2. Topocentric Angular Speed of Space Debris	2-1
2.1 Topocentric and geocentric angular speed	2-1
2.2 Observing at the zenith	2-3
2.2.1 Definition of ω_{top} - general 2D case	2-3
2.2.2 Extremes of topocentric angular speed	2-5
2.2.3 Three-dimensional case: $i \neq 0$, zenith-looking observatory at latitude $L \neq 0$, and circular orbit.	2-7
2.3 Away from the zenith	2-10
2.3.1 Trajectory through zenith (2D)	2-10
2.3.2 Non-Zenith Pass (3D)	2-12
2.4 Conclusions	2-17
3 Sky Pattern of Space Debris Detectability (“SkyPlot”) – Introduction	3-1
3.1 Introduction	3-1
3.2 Code Structure	3-2
3.3 Program Execution - Overview	3-2
3.4 Program Execution - In Detail	3-5

3.4.1	Abort Scenarios	3-5
3.4.1.1	Geometric Effects	3-5
3.4.1.2	Twilight Latitudes	3-6
3.4.1.2.1	Twilight Window Calculation	3-6
3.5	Summary	3-10
4	SkyPlot Program Detail	4-1
4.1	Dual Time Increments (Time Steps)	4-1
4.2	Homing	4-4
4.3	Coordinate system	4-5
4.4	Equations of satellite motion	4-6
4.4.1	Orbit terminology	4-6
4.4.2	Position in the orbit	4-7
4.5	Orbital Perturbations	4-9
4.6	Position of Observer	4-11
4.6.1	Geocentric to geodetic alt/az correction	4-14
4.7	Earth Shadow	4-17
4.8	Topocentric Angular Velocity	4-25
4.8.1	Observer velocity	4-25
4.8.2	Geocentric debris velocity	4-26
4.8.3	Topocentric angular velocity	4-27
4.8.4	Topocentric Angular Velocity Binning	4-28
4.9	Solar Motion	4-28
4.10	The Moon	4-28
4.10.1	Sky Brightness due to Moonlight	4-28
4.10.2	Lunar Motion	4-29
4.11	Milky Way	4-31
4.12	Zodiacal Light	4-33
4.13	Refraction	4-33
4.14	Debris Signal-to-Noise Ratio (SNR)	4-35
4.14.1	Debris Flux Calculation	4-36
4.14.1.1	Debris Brightness	4-36
4.14.1.2	Optics transmission	4-38
4.14.1.3	Plate Scale	4-38

4.14.1.4	Streak Image Dimensions	4-38
4.14.1.5	Penumbra Shading	4-41
4.14.2	Galactic and Ecliptic Background	4-41
4.14.3	Night Sky Contribution	4-41
4.14.4	Scattered Moonlight Contribution	4-41
4.14.5	Readout Noise Contribution	4-42
4.15	Summary	4-42
5	SkyPlot Results and Analysis	5-1
5.1	Orbit/Observing Site Selection	5-1
5.2	Orbit Selection	5-2
5.3	Output Description	5-4
5.4	Results	5-5
5.4.1	MIR Orbit Skyplots	5-6
5.4.2	IRIDIUM Constellation Skyplots	5-11
5.4.3	GPS Constellation Skyplots	5-16
5.4.4	Molniya Constellation Skyplots	5-21
5.5	Analysis	5-26
5.5.1	Mir Skyplots	5-26
5.5.2	GPS Skyplots	5-26
5.5.3	Molniya Skyplots	5-28
5.5.4	Iridium Skyplots	5-28
5.5.5	Relative visibility	5-28
5.6	Effect of Debris Size on Skyplots	5-29
5.6.1	Introduction	5-29
5.6.2	Discussion	5-29
5.6.3	Skyplots of Debris of Varying Sizes	5-31
5.6.4	Summary	5-33
5.7	Conclusions	5-33
6	Point Target Detection System for Space Debris	6-1
6.1	Introduction	6-1
6.2	Requirements of such a detection system	6-3
6.2.1	Real Time Response through the FOV	6-3

6.2.2	Highest Sensitivity Possible - Dwell Time	6-5
6.2.3	Determination of Orbital Characteristics	6-6
6.2.3.1	Effects of Errors on Downrange Predictions	6-8
6.3	Herstmonceux Camera System	6-10
6.3.1	Herstmonceux camera system “front end”	6-10
6.3.1.1	Telescope	6-11
6.3.1.2	Camera	6-11
6.3.1.3	Computing equipment available	6-11
6.3.2	Image processing details	6-11
6.3.2.1	Thresholding	6-11
6.3.2.2	Centroiding	6-12
6.3.2.3	Run Length Encoding	6-12
6.3.2.4	Resulting system restrictions	6-12
6.4	Summary	6-12
7	Debris Detection Program Details	7-1
7.1	Program Initial Ideas	7-1
7.2	Program Final Form	7-1
7.3	Search Area & Predicted Position Theory	7-4
7.3.1	Reason for Search Area	7-4
7.3.2	Search Philosophy & Creation Of Active Border	7-5
7.3.3	Search Area Geometry	7-6
7.3.4	Predicted Positions	7-9
7.4	Extra considerations	7-10
7.4.1	Star Background	7-10
7.4.2	Noise (camera/sky - twilight)	7-11
7.5	Implications on minimum height detectable	7-11
7.6	Implementation	7-12
7.6.1	Choice of C over Fortran	7-12
7.6.2	Picture data I/O	7-12
7.6.3	Search Area Scanning	7-13
7.7	Algorithm code	7-15
7.8	Summary	7-15

8	DDT Testing and Image Analysis	8-1
8.1	Static Noise Tests	8-1
8.1.1	Noise Test Results	8-2
8.1.2	Static Noise Test Analysis	8-3
8.2	South Africa Image Testing	8-4
8.2.1	Introduction	8-4
8.2.2	Image manipulation	8-5
8.2.3	Results	8-6
8.3	Minimum Detectable Size of Debris	8-9
8.3.1	Minimum altitude	8-9
8.3.2	Minimum Debris Size	8-10
8.4	Conclusions	8-17
9	Conclusions and Further Suggestions	9-1
9.1	SkyPlot	9-1
9.1.1	Further suggestions	9-1
9.2	Debris Detection (DDT) Program	9-2
9.2.1	Further suggestions	9-3
9.2.1.1	Asteroid detection with the DDT	9-4
	Appendix 1: Penumbra Transit Duration, Preliminary Calculation	A1-1
	A1.1 Introduction	A1-1
	A1.2 Radial Transit	A1-1
	A1.3 Tangential Trajectory	A1-2
	Appendix 2: Volume of Gaussian Curve	A2-1
	Appendix 3: SkyPlot Code	A3-1
	Appendix 4: DDT Program Code	A4-1
	References	R-1